

Beyond 30 (Carolina Green)

Technical data

Type

Composition

Structure

Pile height

Gauge

Number of stitches/10 cm.

Turf / Sq.m.

Yarn Weight

Turf Withdrawal force

Lawns& Landscapes; Parks & Recreation

Polyethylene + Polypropylene

Ten Cate Thiolon® Monofilament + Curly

± 30 mm

+/- 5%

3/8 inch 15 (+/- 10%)

15,750 (+/- 10%)

1,410 g/ Sq.m. (+/- 10%)

≥ 35 N

Backing Characteristics

Backing cloth

Weight / Unit Type of Coating

Coating Weight

Total Backing Weight

Total Carpet Weight

Double PP Woven backing

240 g/ Sq.m. SBR (DOW)

900 g/ Sq.m. (+/- 10%) (Dry)

1,140 g/ Sq.m.

2,550 g/ Sq.m. (+/- 11%)

Packaging

Roll Widths

Roll Length

2.00 m.

On request

Test Results

Permanence against UV Rays

Fastness of the color

W.O.M.testing 8,000 hours in accordance with DIN53387

Blue Scale (1-8) > 7 in accordance with DIN54004

Colour

Four colours / Three Colours

Accessories

Line Color: white

Line Widths: 100 mm; 75 mm; 50 mm

Bottom Layer:

Compostion: Washed and dried silica sand (90% round)

Maintenance

See separate documentation available on request from All Green Grass®

Warranty

8 - 10 years (Solar activity in 100-160 W/sq.m.)

100/173 Moo 10, Subboonchai 17, Srinakarin Rd., Bangmuang, Muang, Samutprakarn 10270

Tel: (662) 703-1557-9 Fax: (662) 703-1617

www.turftexthai.com